

Appl. No. 09/700,585  
Amdt. Dated October 26, 2004  
Reply to Office action of September 18, 2004  
Attorney Docket No. P09430-US1  
EUS/J/P/04-3259

### Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

### Listing of Claims:

1. (Currently Amended) A method of providing information relating to a telecommunication call, in a telecommunication network, to a data storage system, the method comprising:

receiving caller identity information at an exchange of the network during a call set-up procedure between a calling device and the exchange, and storing the information at least temporarily at the exchange;

sending an incoming call alert message to a called device; and

prior to receiving a call answer message at the exchange, ~~or in direct response to receipt of a call answer message,~~ outputting from the exchange to said data storage system a partial Call Data Record containing less call information than a normal Call Data Record ~~at least the received and stored caller identity information.~~

2. (Original) A method according to claim 1, wherein the telecommunication network comprises a cellular radio telephone network and the call is made from a cellular radio telephone device.

3. (Currently Amended) A method according to claim 2, wherein the cellular radio telephone network is a GSM network and said exchange from which the partial Call Data Record is output is a Mobile Switching Center, the method comprising outputting from the Mobile Switching Center a partial Call Data Record comprising at least one of the subscriber telephone number, IMEI code, or IMSI code.

4. (Currently Amended) A method according to claim 1, wherein the telecommunication network comprises a fixed access network in which a telephone

Appl. No. 09/700,585  
Amdt. Dated October 26, 2004  
Reply to Office action of September 16, 2004  
Attorney Docket No. P09430-US1  
EUS/J/P/04-3259

device is coupled to the exchange via land lines, the method further comprising outputting from the exchange at least the caller's telephone number (A-number).

5. (Currently Amended) A method according to claim 1 further and comprising outputting said ~~partial~~ call data record to an external billing system in direct response to receipt of a call answer message, wherein said partial call data record consists of the caller's A-number, the caller's International Mobile Subscriber Identity code, the called party's B-number and the call start time.

6. (Currently Amended) Apparatus for providing information relating to a telecommunication call, in a telecommunication network, to a data storage system, the apparatus comprising:

first receiving means for receiving caller identity information at an exchange of the network during a call set-up procedure between a calling device and the exchange, and for storing the information at least temporarily at the exchange;

transmitting means for transmitting an incoming call alert message to a called device;

second receiving means for receiving, in the event that the called device answers or otherwise accepts the incoming call alert, a call answer message sent to the exchange; and

output means for outputting, prior to ~~or in response to~~ receipt of said call answer message, from the exchange to said data storage system, a partial Call Data Record containing less call information than a normal Call Data Record ~~at least the received and stored caller identity information.~~

7. (Currently Amended) Apparatus according to claim 6, wherein said first and second receiving means, said transmitting means, and said output means are provided as an integral part of the network exchange, ~~and~~ said data storage system (10) is physically separate from the exchange and said partial Call Data Record is output from the exchange to said data storage system in response to receipt of said call

Appl. No. 09/700,585  
Amdt. Dated October 26, 2004  
Reply to Office action of September 16, 2004  
Attorney Docket No. P09430-US1  
EUS/J/P/04-3259

answer message, wherein said partial call data record consists of the caller's A-number, IMSI code, called party's B-number and the call start time.

8. (Previously Presented) Apparatus according to claim 6, the network comprising a cellular radio telephone network and said exchange being a Mobile Switching Centre (MSC) of the cellular network.

9. (Currently Amended) A telecommunication network having a plurality of interconnected exchanges for routing calls in the network, and a billing system coupled to each of said exchanges, each exchange comprising:

first receiving means for receiving caller identity information during a call set-up procedure between a calling device and the exchange, and for storing the information at least temporarily at the exchange;

transmitting means for transmitting an incoming call alert message to a called device or to a called device via one or more further exchanges;

second receiving means for receiving, in the event that the called device answers or otherwise accepts the incoming call alert, a call answer message sent to the exchange; and

output means for outputting, prior to or in response to receipt of said call answer message, from the exchange to a data storage system (40), a partial Call Data Record containing less call information than a normal Call Data Record ~~at least the received and stored caller identity information.~~